

# INDEX MAPS.

## T. 19N, R. 1W. 2<sup>nd</sup> Mer.

	69		69		69		69		68		68	
71	6	95	5	91	4	88	3	85	2	77	1	68
	95		94		90		87		84-77		76	
71	7	94	8	90	9	87	10	84	11	76	12	67
	94		93		90		87		84-76		75	
71	18	93	17	89	16	86	15	84	14	75	13	67
	93		92		89		86		84-74		74	
70	19	92	20	89	21	86	22	83	23	74	24	67
	92		91		88		85		83-73		73	
70	30	91	29	88	28	85	27	83	26	72	25	67
	82		81		80		79		78		72	
70	31	81	32	80	33	79	34	78	35	72	36	66
	66		66		66		65		65		65	

## T. 20N, R. 1W. 2<sup>nd</sup> Mer.

	103		103		103		103		102		102	
105	6	113 128	5	113 122	4	113 119	3	112 115 116	2	112	1	102
	128		128		122		119		116-111		111	
105	7	127	8	132 123	9	119	10	115 116	11	110	12	101
	127		126		122		118		115-110		110	
105	18	126	17	121	16	118	15	115	14	109	13	101
	126		125		121		118		115-109		109	
104	19	125	20	121	21	117	22	114	23	108	24	101
	125		124		121		117		114-108		107	
104	30	124	29	120	28	117	27	114	26	107	25	101
	124		123		120		116		114-106		106	
104	31	123	32	119	33	116	34	114	35	106	36	100
	100		100		99		99		99		99	

The figures on the lines refer to the page.

65

Township N. 19 North, Range N. 1 West 2. Mer. Indian  
Co. Ind.

### Township Lines.

South Boundary. Var. 6° 40' E.

Bearings at cor. of T. 18 & 19 N, R 1 W

a W. Oak 9 in. dis. bears S 77° E 49 Ms. dist. 8

a Do 14 " " " N 89° W 27 " "

West on the S. Boundary of Sec. 36

40.00 set of sec. post from which

a Beech 14 in. dis. bears S 36° E 22 Ms. dist. 8

a W. Ash 10 " " " N 25° W 25 " "

80.00 set post cor. of sec. 35 & 36 from which

a Beech 12 in. dis. bears N 13° W 7 Ms. dist. 8

a Do 20 " " " South 25 " "

Land level, timber Beech, Oak, Hickory, Ash,  
Sugar. Middling farming land

---

West on the S. Boundary of Sec. 35

40.00 set of sec. post from which

an Ironwood 9 in. dis. bears S 77° E 24 Ms. dist. 8

a Sugar 12 " " " N 77° W 33 " "

80.00 set post cor. of sec. 34 & 35 from which

an Elm 18 in. dis. bears N 51° E 16 Ms. dist. 8

a Do 20 " " " S 15° W 6 " "

Land similar to that on last mile, part wet  
swampy

---

West on the S. Boundary of Sec. 34

30.00 enter Swamp

35.00 passed "

40.00 set of sec. post from which

a Beech 9 in. dis. bears S 4° E 16 Ms. dist. 8

a W. Ash 30 " " " N 38° E 8 " "

80.00 set post cor. of sec. 33 & 34 from which

a Blue Ash 9 in. dis. bears N 16° W 26 Ms. dist. 8

a Beech 12 " " " S 52° E 29 " "

Land same as on the last mile.

---

T. 19 N., R. 1 W. 2<sup>d</sup>. Mer. Ind. a  
Ch. Sh.

West on the S. Boundary of Sec. 33

40.00 set q. sec. post from which  
a Sycamore 40 in. dia. bears N 77 E 12 Ms. dist. 8  
a B. Ash 14 " " " ———

80.00 set post cor. of sect. 32 & 33 from which  
a Beech 10 in. dia. bears N 43 W 11 Ms. dist. 8  
a Do 12 " " " S 11 W 19 " " "  
Land same as on the last mile

West on the S. Boundary of Sec. 32

40.00 set q. sec. post from which  
a Beech 10 in. dia. bears S 19 W 16 Ms. dist. 8  
a W. Oak 30 " " " N 8 E 29 " " "

80.00 set post cor. of sect. 31 & 32 from which  
an Elm 27 in. dia. bears S 19 W 12 Ms. dist. 8  
a W. Ash 10 " " " N 39 W 15 " " "  
Land similar to that on last mile, part swampy

West on the S. Boundary of Sec. 31

40.00 set q. sec. post from which  
a Sycamore 36 in. dia. bears N 33 W 8 Ms. dist. 8  
a W. Oak 36 " " " S 35 W 36 " " "

78.76 Intersect Range line 128 Ms. N. of temp. Town.  
cor., set post cor. of T. 18 & 19 N., R. 1 & 2 W. from  
which a Beech 9 in. dia. bears N 15 W 47 Ms. dist.  
& an Elm 30 " " " S 14 E 33 " " "  
Land mostly wet & swampy

Second Principal Meridian or  
East Boundary. Var. 5<sup>th</sup> 45<sup>th</sup> E.

North on the E. Boundary of Sec. 36

October 8. 1819

40.00 set q. sec. post from which  
a Sugar 11 in. dia. bears S 85 W 37 Ms. dist. 8  
a W. Ash 11 " " " S 89 W 60 " " "

80.00 set post cor. of sect. 25 & 36 from which

T. 19 N., R. 1 W. 2. Mer. Ind.?  
Ch. Lk?

an Elm 12 in. dia. bears S 9 E 26 W. dist. 8  
a Hickory 9 " " " N 43 W 21 " "  
Land level 2<sup>d</sup> rate, timber Oak, Elm, Sugar, Beech

North on the E. Boundary of Sec. 25

40.00 set of sec. port from which

a Beech 12 in. dia. bears S 6 E 55 W. dist. 8

a Sugar 11 " " " N 63 W 6 " "

80.00 set port cen. of sec. 24 & 25 from which

a Beech 14 in. dia. bears S 66 W 37 W. dist. 8

a W. Oak 30 " " " S 88 E 20 " "

Land same as on the last mile

North on the E. Boundary of Sec. 24

40.00 set of sec. port from which

a Beech 14 in. dia. bears N 75 E 16 W. dist. 8

a Poplar 27 " " " N 84 W 36 " "

80.00 set port cen. of sec. 13 & 24 from which

a B. Ash 9 in. dia. bears S 62 E 18 W. dist. 8

a Leather 30 " " " N 42 W 30 " "

Land similar, part wet & swampy.

North on the E. Boundary of Sec. 13

October 9, 1819

40.00 set of sec. port from which

an Elm 18 in. dia. bears S 60 E 46 W. dist. 8

a Hickory 7 " " " N 11 E 6 " "

80.00 set port cen. of sec. 12 & 13 from which

a B. Ash 10 in. dia. bears S 50 W 17 W. dist. 8

a W. Ash 9 " " " N 6 W 16 " "

Land level 2<sup>d</sup> rate, timber Oak, Beech, Ash, Elm  
part too wet

North on the E. Boundary of Sec. 12

40.00 set of sec. port from which

an Elm 27 in. dia. bears S 15 W 33 W. dist. 8



T. 19 N., R. 1 W. 2. Mer. Ind.<sup>a</sup>  
Ch. Lk.

a Sugar 12 in. dia. bears N 20 E 15 lbs. dist.  
80.00 set post cen. of sec. 1 & 12 from which  
an Elm 18 in. dia. bears N 66 E 30 lbs. dist. &  
a S. Oak 30 " " " S 43 E 2 " "  
Land similar, part over rolling good farming  
land

North on the E. Boundary of Sec. 1

40.00 set g. sec. post from which  
a W. Ash 8 in. dia. bears N 72 E 26 lbs. dist. &  
a Sugar 12 " " " S 55 W 33 " "  
78.00 a dry Branch 20 lbs. wide course N E  
80.00 set post cen. of T. 19 & 20 N, R. 1 W. from which  
an Elm 30 in. dia. bears N 43 E 12 lbs. dist. &  
a Do 18 " " " S 73 W 18 " "  
Land level, rich & good for farming, timber  
Beech, Ash, Oak, Hickory, Elm &c.

North Boundary. Var. S. 45 E.

West on the S. Boundary of Sec. 36, T. 20 N, R. 1 W  
40.00 set g. sec. post from which  
a Beech 12 in. dia. bears S 73 E 18 lbs. dist. &  
a W. Ash 14 " " " N 21 E 13 " "  
80.00 set post cen. of sec. 35 & 36 from which  
a Beech 18 in. dia. bears N 64 E 27 lbs. dist. &  
a Hickory 18 " " " S 52 W 20 " "  
Land level, timber same as last noted, midd-  
ling good farming land, part rather too wet

West on the S. Boundary of Sec. 35, T. 20 N, R. 1 W

40.00 set g. sec. post from which  
a Sugar 24 in. dia. bears S 14 W 51 lbs. dist. &  
a Do 12 " " " N 59 E 29 " "  
80.00 set post cen. of sec. 34 & 35 from which  
a Beech 11 in. dia. bears N 28 E 17 lbs. dist. &  
a Do 9 " " " S 41 W 11 " "

69

T. 19 N., R. 1 W. 2. Mer. Ind. a  
Ch. 8th.

Land level, timber Beech, Sugar, Ash, Pop-  
lar, Oak &c. Good farming land

---

West on the S. Boundary of Sec. 34, T20 N, R1 W  
40.00 set of sec. post from which

a W. Oak 36 in. diameter N27W14 lbs. dist. 8

a Do 30 " " " S21W18 " "

80.00 set post cor. of sect. 33 & 34 from which

a Sugar 9 in. diameter N6W13 lbs. dist. 8

a Do 9 " " " S35W22 " "

Land the same as on the last mile

---

West on the S. Boundary of Sec. 33, T20 N, R1 W  
30.00 a Creek 20 lbs. wide course NW

40.00 set of sec. post from which

a Blue Ash 14 in. diameter N24E46 lbs. dist. 8

an Elm 6 " " " N45W18 " "

80.00 set post cor. of sect. 32 & 33 from which

a Sugar 10 in. diameter N43E15 lbs. dist. 8

an Elm 9 " " " S33E9 " "

Land rich & good for farming, timber Beech,  
Sugar, Walnut &c.

---

West on the S. Boundary of Sec. 32, T20 N, R1 W  
October 10. 1819

40.00 set of sec. post from which

a Hickory 24 in. diameter S5W28 lbs. dist. 8

a Sugar 8 " " " N48E35 " "

80.00 set post cor. of sect. 31 & 32 from which

a Poplar 14 in. diameter North 31 lbs. dist. 8

a Sugar 9 " " " S43W8 " "

Land level rich and good for farming, part wet

---

West on the S. Boundary of Sec. 31, T20 N, R1 W

37.00 dry Branch 12 lbs. wide course N

40.00 set of sec. post from which

T. 19 N., R. 1 W. 2<sup>d</sup>. Mer. Ind.<sup>a</sup>Ch. 1. 2<sup>d</sup>.

a W. Oak 24 in. dia. bears S 89 E 31 lbs. dist. 8

a Sugar 14 " " " S 85 W 36 " "

78.84 Intersect Range line 58 lbs. N. of Camp. Towns.  
 cor., set post cor. of T. 19 & 20 N., R. 1 & 2 W. from  
 which a Hickory 24 in. dia. bears S 5 E 57.37 lbs. dist.  
 (no other bearing tree)

Land 2<sup>d</sup> rate, part rich & good for farming

West Boundary, Var. 6.00. E. by Observation  
 North on the E. Boundary of Sec. 36, T. 19 N., R. 2 W  
 October 7. 1819

40.00 set of sec. post from which

a Beech 18 in. dia. bears N 22 W 17 lbs. dist. 8

a Hickory 18 " " " S 15 E 9 " "

80.00 set post cor. of sec. 25 &amp; 36 from which

a Beech 12 in. dia. bears N 56 E 19 lbs. dist. 8

a Do 8 " " " N 38 W 21 " "

Land level, middling good farming land.  
 Timber Beech, Sugar, Oak, Hickory, Poplar &c.

North on the E. Boundary of Sec. 25, T. 19 N., R. 2 W

40.00 set of sec. post from which

an Elm 9 in. dia. bears S 10 W 15 lbs. dist. 8

a Hickory 12 " " " N 17 E 17 " "

80.00 set post cor. of sec. 24 &amp; 25 from which

an Elm 11 in. dia. bears S 25 W 16 lbs. dist. 8

a W. Oak 7 " " " N 35 E 8 " "

Land similar, very level, N. part wet

North on the E. Boundary of Sec. 24, T. 19 N., R. 2 W

40.00 set of sec. post from which

a W. Oak 36 in. dia. bears S 14 E 22 lbs. dist. 8

a Beech 18 " " " N 25 W 34 " "

65.00 a Creek 30 lbs. wide course W

80.00 set post cor. of sec. 13 &amp; 24 from which

a Beech 10 in. dia. bears S 61 W 14 lbs. dist. 8

T. 19 N., R. 1 W. 2<sup>d</sup>. Mer. Ind. a  
Ch. E. b.

a Sugar 8 in. dia bears N 7 E 30 W. dist.  
South 1/2 mile the same as last mile - North 1/2  
mile good farming land, a little rolling,  
timber Beech, Sugar, Walnut

North on the E. Boundary of Sec. 13, T 19 N, R 2 W

40.00 set of sec. post from which

an Elm 10 in. dia bears S 81 E 28 W. dist. 8

a W. Oak 30 " " " S 36 W 25 " "

80.00 set post on. of sec. 12 & 13 from which

a B. Walnut 30 in. dia bears N 55 W 3 W. dist. 8

a Sugar 10 " " " S 65 E 34 " "

Land level, timber same, good farming land

North on the E. Boundary of Sec. 12, T 19 N, R 2 W

40.00 set of sec. post from which

a Beech 10 in. dia bears S 54 E 19 W. dist. 8

a W. Ash 18 " " " N 18 E 15 " "

66.00 a Beech 50 W. wide course W

80.00 set post on. of sec. 11 & 12 from which

a Spruce 9 in. dia. bears S 45 W 15 W. dist. 8

a Do 9 " " " N 30 E 26 " "

(Description of land &c. omitted)

North on the E. Boundary of Sec. 1, T 19 N, R 2 W

40.00 set of sec. post from which

a Beech 12 in. dia bears N 80 W 14 W. dist. 8

a Sugar 9 " " " N 60 E 24 " "

44.00 Fort Wayne trail

80.00 set trap. Township corner.

Land part level, part broken 2<sup>d</sup> rate,  
soil not very good for farming, timber  
Oak, Hickory, Beech.

Surveyed in 1819 by William Harris  
Dep. Surveyor.



T. 19 N., R. 19 W. 2<sup>d</sup> Mer. Ind. aSubdivision. Tm. 5<sup>th</sup> 42<sup>d</sup> E.

North between Sec. 35 &amp; 36, T 19 N, R 19 W

24.42 a W. Ash 30 in. dia.

40.00 set q. sec. post from which

a Hickory 28 in. dia. bears N 79 W 24 W. dist. 8

a W. Ash 13 " " S 87 E 21 " "

54.00 the channel of Muddy Branch 15 W. wide, S W

63.50 a Sugar 15 in. dia.

80.00 set post cor. of sec. 25, 26, 35 &amp; 36 from which

a W. Elm 22 in. dia. bears N 73 E 14 W. dist. 8

a Br. Oak 36 " " N 68 W 34 " "

Soil wet 2<sup>d</sup> rate land, timber Beech, Ash, Elm,  
Oak, Hickory &. Hudgott<sup>th</sup> Spice, Ash &.

## East on Random between Sec. 25 &amp; 36

40.00 set temp. q. sec. post

68.00 the channel of a stream 20 W. wide course W 9 W

80.51 Intersect E. Boundary 63 W. N. of post -

Soil wet 2<sup>d</sup> rate land, timber Ash, Elm, Hick-  
ory, Beech, Oak & Hudgott<sup>th</sup> Spice, Ash, But-  
tonwood &.

## West Connected between Sec. 25 &amp; 36

22.33 a Hickory 17 in. dia.

40.25 set q. sec. post at aver. dist. from which

a B. Ash 12 in. dia. bears N 68 W 45 W. dist. 8

a Beech 18 " " S 21 E 21 " "

61.56 a Sycamore 32 " "

80.51 to sec. cor.

## North between Sec. 25 &amp; 26

21.41 a Sugar 15 in. dia.

40.00 set q. sec. post from which

a B. Ash 14 in. dia. bears N 55 E 19 W. dist. 8

a W. Ash 16 " " S 47 W 13 " "

58.50 the channel of stream 20 W. wide course S W



T. 19 N., R. 1 W. 2<sup>d</sup>. Mer. Ind<sup>a</sup>.  
Ch. Lk.

61.50 a W. Oak 24 in. dia.

80.00 set post cor. of sec. 23, 24, 25 & 26 from which  
a Sugar 26 in. dia bears N 53° W 27 Ws. dist. .3

a Do 14 " " " S 27° E 51 " "

Level 2<sup>d</sup>. rate land, timber Beech, Ash, Elm,  
Sugar, W. Oak, Hickory & Hudgott<sup>s</sup> Spruce, Ash &c.

---

East on Random between Sec. 24 & 25

40.00 set temp. q. sec. post

80.66 Intersect E. Boundary on Mer. 70 Ws. N. of post -

Level wet 2<sup>d</sup>. rate land, timber Ash, Beech, Elm,  
Hickory, Sugar, Sycam, Oak &c. Hudgott<sup>s</sup> Spruce,  
Ash, Willow &c.

---

West Corrected between Sec. 24 & 25

21.24 a Sycamore 36 in. dia.

40.33 set q. sec. post at aver. dist. from which  
a Maple 24 in. dia bears N 16° W 8 Ws. dist. .3

a Br. Oak 40 " " " S 25° E 33 " "

60.91 a R. Oak 24 " "

80.66 to sec. cor.

---

West between Sec. 23 & 26

22.73 a W. Oak 15 in. dia.

25.50 the channel of a stream 40 W. wide course N

40.00 set q. sec. post from which

a Sugar 15 in. dia bears S 23° E 40 Ws. dist. .3

a Beech 14 " " " N 44° W 23 " "

51.15 a W. Oak 24 " "

67.94 Intersect E. Boundary of Indian Reservation

47.65 Ch. N. of the S.E. cor. of the same -

set post cor. of frac. Sec. 23 & 26 from which

a Elm 24 in. dia bears S 55° E 19 Ws. dist. .3

a Hickory 24 " " " N 28° E 47 " "

Level 2<sup>d</sup>. rate land, timber Ash, Beech, Elm,  
Walnut, Oak, Hickory, Sycam &c. Aug. 23. 1822

---

## T. 19 N., R. 1 W., L. Mer. Ind. a

Ch. 2. S. 1.

North between Sec. 23 &amp; 24

20.50 the channel of a Brook 4 1/2 hrs wide course WSW

25.00 Do Do 4 " " " W

26.64 a W. Oak 24 in. dia.

40.00 set g. sec. post from which

a Sugar 15 in. dia bears N 61 W 29 hrs. dist. 8

a W. Oak 10 " " " S 47 E 14 " "

48.50 the channel of a Brook 5 hrs wide course WSW

54.90 a W. Elm 20 in. dia.

80.00 set post cor. of sec. 13, 14, 23 &amp; 24 from which

a Br. Oak 34 in. dia bears N 68 W 42 hrs. dist. 8

a Sugar 14 " " " S 88 E 38 " "

Land part rolling part level rich L. rate,  
timber Sugar, Ash, Beech, Hickory, Elm,  
Oak & Myrt. Spice &c.

East on Random between Sec. 13 &amp; 24

40.00 set temp. g. sec. post

80.65 Intersect O. Boundary 110 hrs. N. of post -

Level wet L. rate land, timber Ash, Elm, Hick-  
ory, Beech, Gum, Maple, Oak, Sugar &c.  
Hudg. & Spice, Ash, Willow &c.

West Corrected between Sec. 13 &amp; 24

19.65 a Br. Oak 24 in. dia.

40.33 set g. sec. post at aver. dist. from which

a W. Elm 15 in. dia bears S 8 E 15 hrs. dist. 8

a Maple 12 " " " N 18 W 14 " "

59.61 a Br. Oak 20 " "

80.65 to sec. cor.

West between Sec. 14 &amp; 23

19.50 a R. Oak 28 in. dia.

40.00 set g. sec. post from which

a Sycamore 16 in. dia bears S 8 E 30 hrs. dist. 8

a R. Oak 26 " " " N 19 W 13 " "

T. 19 N., R. 1 W., S. Mer. Ind.<sup>a</sup>  
 Elk. Oak

- 59.68 a Sugar 16 in. dia.  
 67.46 Intersect E. Boundary of Indian Reservation  
 set post cor. of frac<sup>l</sup> Sec. 14 & 23 from which  
 a W. Elm 28 in. dia. bears S 40 E 26 lbs. dist. 3  
 a W. Ash 16 " " " N 64 E 34 " "  
 Level rich 2<sup>d</sup> rate land, timber Ash, Elm, Walnut,  
 Oak, Hickory & Hudg<sup>th</sup> Spice, Ash

North between Sec. 13 & 14

- 22.28 a W. Oak 24 in. dia.  
 40.00 let q. sec. post from which  
 a Sugar 18 in. dia. bears N 5 E 10 lbs. dist. 3  
 a Beech 18 " " " N 88 W 9 " "  
 54.00 a Swamp, offset East 2.00  
 56.50 fell into line  
 65.16 a Hickory 20 in. dia.  
 80.00 let post cor. of Sec. 11, 12, 13 & 14 from which  
 a Sugar 18 in. dia. bears N 40 W 28 lbs. dist. 3  
 a W. Oak 16 " " " S 88 E 22 " "  
 Level 2<sup>d</sup> rate land, timber Beech, Ash, Oak, Hick-  
 ory, Walnut, Elm & Hudg<sup>th</sup> Spice, Ash &

East on Randon between Sec. 12 & 13

- 24.00 the channel of a Brook 8 lbs. wide course N  
 39.50 Do Do 10 " " " N N W  
 40.00 set temp. q. sec. post  
 80.68 Intersect E. Boundary 108 lbs. N. of post -  
 Level 2<sup>d</sup> rate land, timber Ash, Elm, Oak, Hick-  
 ory, Beech, Gum & Hudg<sup>th</sup> Spice, Ash &

West corrected between Sec. 12 & 13

- 22.31 a W. Oak 24 in. dia.  
 40.34 let q. sec. post at aver. dist. from which  
 a Sugar 18 in. dia. bears N 52 W 11 lbs. dist. 3  
 a Beech 16 " " " S 39 E 25 " "  
 60.76 a W. Ash 18 " "

## T. 19 N., R. 1 W. 2. Mer. Ind. a.

Ch. Sk.

80.68 to sec. cor.

## West between Sec. 11 &amp; 14

29.40 a W. Oak 30 in. dia.

33.25 the channel of a Brook 10 Mr. wide course N

40.00 set of sec. post from which

a Beech 18 in. dia. bears S 38 E 11 Mr. dist. 8

a Do 20 " " " N 57 W 13 " "

50.06 a Hickory 24 " "

67.14 Intersect E. Boundary of Indian Reservation -

set post cor. of frac. sec. 11 &amp; 14 from which

a Beech 14 in. dia. bears S 55 E 29 Mr. dist. 8

a Sugar 18 " " " N 67 E 22 " "

Level 2. rate land, timber Ash, Beech, Elm, Hickory, Sugar, Oak &amp; Underg. Spruce. Aug. 24, 1822

## North between Sec. 11 &amp; 12

20.73 a W. Ash 32 in. dia.

40.00 set of sec. post from which

a Sugar 15 in. dia. bears N 26 W 12 Mr. dist. 8

a Beech 18 " " " S 73 E 13 " "

46.50 the channel of a Brook 4 Mr. wide course N N E

57.50 a Stream 20 Mr. wide course N W

63.42 a Hickory 16 in. dia.

80.00 set post cor. of sec. 1, 2, 11 &amp; 12 from which

a Sugar 12 in. dia. bears S 42 W 10 Mr. dist. 8

a Do 20 " " " N 43 E 37 " "

Rolling rich 2. rate land, timber Sugar, Beech, Ash, Hickory, Oak &amp; Underg. Spruce, Ash &amp;

## East on Random between Sec. 1 &amp; 12

9.25 the channel of a Brook 5 Mr. wide course NW

32.25 Do Do 6 " " " NW

40.00 set temp. of sec. post

81.11 Intersect Meridian 122 Mr. N. of post -

Land part level, part rolling 2. rate, timber



T. 19 N., R. 1 W. 2? Mer. Ind. a

Cor. 2d

Ash, Beech, Sugar, Oak, Hickory & Hudsyt.  
Spice, Ash &c.

West Connected between Sec. 1 & 2

21.11 a Beech 16 in. dia.

40.55 set g. sec. post at aver. dist. from which  
a W. Oak 28 in. dia. bears S 64° W 48 lbs. dist. 8  
a Do 36 " " " N 35° E 52 " "

61.18 a Beech 20 " "

81.11 to sec. cor.

West between Sec. 2 & 11

22.95 a Sugar 14 in. dia.

32.50 the bed of a stream 12 lbs. wide course N° W

35.00 a Stream 25 lbs. wide course S° W

40.00 set g. sec. post from which

a Sugar 14 in. dia. bears East 14 lbs. dist. 8

a B. Walnut 18 " " " S 84° W 29 " "

57.25 a Stream 25 lbs. wide course N

66.68 Intersect E. Boundary of Indian Reservation -

set post cor. of frac. Sec. 2 & 11 from which

a Spruce 14 in. dia. bears N 6° W 14 lbs. dist. 8

a R. Oak 20 " " " S 44° E 10 " "

Level & rate land, timber Ash, Oak, Hickory  
Walnut &c.

North between Sec. 1 & 2

9.50 a muddy Creek 14 lbs. wide course S° W

22.50 a W. Oak 28 in. dia.

40.00 set g. sec. post from which

a W. Oak 36 in. dia. bears N 65° E 22 lbs. dist. 8

a R. Oak 18 " " " S 32° W 12 " "

63.03 a Hickory 24 " "

78.71 Intersect N. Boundary 82 lbs. N. of post -

set post at intersection on g. sec. 1 & 2 from which

a Beech 20 in. dia. bears S 62° E 4 lbs. dist. 8





T. 19 N., R. 1 W. E. Mer. Ind.<sup>a</sup>  
Ch. Lm.

12.35 Ch. W. of the S.E. cor. of the same —  
set post cor. of each sec. 26 & 27 from which  
a Lym 14 in. dia bears N49°W 81<sup>1</sup>/<sub>2</sub> Ms. dist. 8  
a Do 12 " " " S12<sup>1</sup>/<sub>2</sub>°W 38 " "  
Level wet 2. rate land, timber Elm, Ash, Oak,  
Hickory, Beech, Lym, Hgt. Hazle &c.

North between Sec. 33 & 34

4.00 a Swamp, offset West 3.00  
7.00 fell in line  
26.81 a Beech 16 in. dia.  
40.00 set q. sec. post from which  
a Beech 20 in. dia bears N43°W 13<sup>1</sup>/<sub>2</sub> Ms. dist. 8  
a Do 24 " " " S66°E 19 " "  
56.25 a Lym 12 " "  
80.00 set post cor. of sec. 27, 28, 33 & 34 from which  
a Br. Oak 24 in. dia bears S17°W 21<sup>1</sup>/<sub>2</sub> Ms. dist. 8  
a Do 8 " " " N65°E 51 " "  
Level 2. rate land, timber Ash, Beech, Elm,  
Oak, Hickory, Sugar, Sycamore &c. Hudgott  
Spice, Hazle, Ash &c.

East on Random between Sec. 27 & 34

40.00 set temp. q. sec. post  
80.37 intersect N & S. line 23 Ms. N. of post —  
Level 2. rate land, timber Elm, Ash, Maple  
&c. Hudgott Hazle, Pines, Vines &c.

West Connected between Sec. 27 & 34

22.14 a W. Elm 18 in. dia.  
40.18 set q. sec. post at av. dist. from which  
a Br. Oak 15 in. dia bears N63°W 10<sup>1</sup>/<sub>2</sub> Ms. dist. 8  
a Br. Ash 10 " " " S64°E 28 " "  
59.77 a Do 15 " "  
80.37 to sec. cor.

T. 19 N., R. 1 W., E. Mer. Ind.<sup>a</sup>  
 Ch. Lk.

North between Sec. 27 & 28

15.75 a muddy stream 15 hrs. wide course WNW

18.69 a Beech 16 in. dia.

32.50 Entered S. Boundary of Indian Reservation,  
 set post cor. of frac. sec. 27 & 28 from which

a Beech 12 in. dia. bears S 49° W 43 hrs. dist. 8

a R. Oak 36 " " " S 88° E 32 " "

Level 2<sup>d</sup>. rate land, timber Ash, Beech, Elm,  
 Oak, Hickory, Hudgott<sup>h</sup> Spice, Ash, Hazel &c.  
 November 22, 1822

North between Sec. 32 & 33

28.46 a Hickory 22 in. dia.

37.50 a Stream 20 hrs. wide course W

40.00 set g. sec. post from which

a R. Oak 24 in. dia. bears S 34° W 39 hrs. dist. 8

a Beech 16 " " " N 75° E 14 " "

60.48 a R. Oak 22 " "

80.00 set post cor. of sec. 28, 29, 32 & 33 from which

a R. Oak 20 in. dia. bears S 54° W 19 hrs. dist. 8

a Do 6 " " " N 32° E 9 " "

Level wet inferior 2<sup>d</sup>. rate land, timber Ash,  
 Elm, Oak, Hickory, Beech, Maple, Sycamore,  
 Sugar &c. Hudgott<sup>h</sup> Hazel, Buttonwood, Spice,  
 Ash &c.

East on Random between Sec. 28 & 33

40.00 set temp. g. sec. post

80.17 Entered N. S. line 11 hrs. S. of post -

Land T. 1<sup>st</sup>. & wide level 2<sup>d</sup>. rate, last 1/2 mile  
 level wet 3<sup>d</sup>. rate, timber Ash, Elm, Beech,  
 Maple, Oak, Hickory &c. Hudgott<sup>h</sup> as above

West Connected between Sec. 28 & 33

23.31 a Beech 14 in. dia.

40.08 set g. sec. post at aver. dist. from which

T. M. N., R. 1 W. E. Mer. Ind. a  
Ch. L. 10.

a Beech 18 in. diameter N 50 W 5 W. dist. 8  
a Sugar 16 " " " S 48 W 27 " "  
60.05 a W. Ash 8 " "  
80.17 to sec. cor.

North between Sec. 28 & 29

20.58 a W. Oak 30 in. dia.

32.00 Intersect S. Boundary of Indian Reservation  
set post cor. of frac. Sec. 28 & 29 from which  
a Beech 14 in. diameter S 7 E 13 W. dist. 8  
a Sugar 12 " " " N 85 E 7 " "  
Level 2. rate land, timber Beech, Sugar, Elm,  
Ash, Hickory, Oak, Walnut & Mudgitt  
Spice, Hazle, Ash &

North between Sec. 31 & 32

26.10 a W. Elm 22 in. dia.

40.00 set of sec. post from which  
a Hickory 15 in. diameter N 68 W 21 W. dist. 8  
a W. Oak 14 " " " N 85 E 1 " "

41.00 a Stream 20 W. wide course N W

59.29 a Beech 15 in. dia.

80.00 set post cor. of sec. 29, 30, 31 & 32 from which  
an Ironwood 4 in. diameter N 24 W 31 W. dist. 8  
a Beech 10 " " " S 34 E 31 " "  
First 1/4 mile wet fenmy inferior 2. rate, balance  
level, rich 2. rate land, timber Ash, Oak, Wal-  
nut, Elm, Sugar, Hickory, Maple & Mudgitt  
Spice, Ash, Hazle

East on Random between Sec. 29 & 32

21.75 a Pond, offset South 2.00

25.25 fell into line

40.00 set temp. of sec. post

80.32 Intersect N & S. line 10 W. N. of post -

Level wet inferior 2. rate land, timber Ash,



T. 19 N., R. 1 W. 2. Mer. Ind. a.  
 Ch. Lk.

Elm, Beech, Sycamore, Maple, Hickory,  
 Lym & Hudgr. <sup>th</sup> Spice, Hazel, Buttonwood,  
 Willow &

West Cornered between Sec. 29 & 32

21.00 a W. Oak 36 in. dia.

40.16 set of sec. post at aver. dist. from which  
 a W. Oak 24 in. dia. bears S 11° W 10 lbs. dist. 8

a Dr 24 " " " N 31° E 43 " "

59.91 a Hickory 24 " "

80.32 to sec. cor.

West between Sec. 30 & 31

26.28 a W. Elm 30 in. dia.

26.75 a Stream 20 lbs. wide course N° W

40.00 set of sec. post from which

a Sugar 18 in. dia. bears S 25° W 15 lbs. dist. 8

a Horned 4 " " " N 23° E 22 " "

62.94 a R. Oak 22 " "

75.50 a Branch 8 lbs. wide course N° W

79.06 Intersect W. Boundary 40 lbs. S. of post -  
 set post at intersection en. of sec. 30 & 31 from  
 which a Beech 14 in. dia. bears S 55° E 4 lbs. dist.

& a Lym 24 " " " N 42° W 34 " "

Level rich & ratelaud, timber Sugar, Oak,  
 Beech, Ash, Lym, Elm, Walnut, Hickory  
 & Hudgr. <sup>th</sup> Spice, Hazel &

November 25. 1822

North between Sec. 29 & 30

21.92 a Beech 20 in. dia.

31.72 Intersect S. Boundary of Indian Reservation

set post en. of frac. Sec. 29 & 30 from which

a W. Ash 14 in. dia. bears S 34° W 29 lbs. dist. 8

a Hickory 16 " " " N 87° E 31 " "

Level rich & ratelaud, timber Ash, Oak,



T. 19 N., R. 1 W. E. Mer. Ind.<sup>a</sup>  
Ch. 20.

Beech, Elm, Sugar, Walnut & Hudgott.  
Spice, Hazel, Ash &c.

Surveyed by Thomas Brown  
Dep. Surveyor.

North between Sec. 26 & 27

From the cor. on the S. Boundary of Reserve

7.28 set of sec. post from which

a Hickory 15 in. diam bears N 51 E 34 Ms. dist. 8

a R. Oak 48 " " " S 72 W 21 " "

47.28 set post cor. of sec. 22, 23, 26 & 27 from which

a W. Oak 24 in. diam bears N 29 E 64 Ms. dist. 8

a Walnut 30 " " " S 66 W 24 " "

Land level inclining to wet, timber Beech,  
Ash, Oak, Poplar, Sugar, Walnut & Hudgott.  
mostly Spice.

East in Random between Sec. 23 & 26

12.50 Intersect Reserve line about 150 Ms. S. of post.  
(Description of land &c. omitted)

West Carried between Sec. 23 & 26

12.50 intersect post. May 28, 1829

North between Sec. 22 & 23

40.00 set of sec. post from which

a Sugar 14 in. diam bears S 16 E 23 Ms. dist. 8

a Do 12 " " " N 36 E 31 " "

51.20 a S. Ash 14 " "

53.00 a Stream 15 Ms. wide course S W

80.00 set post cor. of sec. 14, 15, 22 & 23 from which

a R. Oak 20 in. diam bears N 49 W 14 Ms. dist. 8

an Ash 12 " " " S 80 E 46 " "

Land somewhat rolling 2<sup>d</sup> rate, timber  
about as before noted

## T. 19 N., R. 1 W., 2. Mer. Ind. a

Ch. 2. 1st

East on Random between Sec. 14 &amp; 23

12.38 Intersect E. Boundary of Reserve 119 hrs.  
S. of the post  
Correct West

North between Sec. 14 &amp; 15

5.50 an Ash 24 in. dia.

40.00 set of sec. post from which

a Beech 14 in. dia. bears N 37° E 24 hrs. dist. 8

a Du 16 " " " S 25° E 38 " "

80.00 set post cor. of sec. 10, 11, 14 &amp; 15 from which

a W. Elm 20 in. dia. bears S 57° W 44 hrs. dist. 8

a R. Oak 7 " " " N 48° W 44 " "

Land 1. 1/2 mile good - last 1/2 mile wet

East on Random between Sec. 11 &amp; 14

11.79 Intersect line of Reserve 119 hrs. S. of post -  
Correct West

North between Sec. 10 &amp; 11

12.50 a Stream 8 hrs. wide course W

40.00 set of sec. post from which

a Dogwood 6 in. dia. bears N 43° E 14 hrs. dist. 8

ambrosia 8 " " " S 39° W 13 " "

58.00 a Sugar 18 " "

80.00 set post cor. of sec. 2, 3, 10 &amp; 11 from which

a Walnut 18 in. dia. bears N 36° E 18 hrs. dist. 8

a Sugar 12 " " " S 23° E 5 " "

Land 1. 1/2 mile wet, 2. 1/2 mile good 2. rate

East on Random between Sec. 2 &amp; 11

11.65 Intersect Reserve line 1. 71 hrs. S. of post -

Land rolling 2. rate, timbered Beech, Sugar, Poplar

Ash, Hickory &amp;c.

Corrected West

T. 19 N., R. 19 W. 2<sup>d</sup> Mer. Ind. a.  
Ch. Lk.

North between Sec. 2 & 3

5.16 a W. Oak 18 in. dia.

21.00 a Stream 15 hrs. wide course W

40.00 set g. sec. post from which

a Beech 15 in. dia. bears N 82 E 10 hrs. dist. 8

a Do 12 " " " N 65 W 8 " "

2.65 a Hickory 24 " "

80.72 Intersect N. Boundary 54 hrs. N. of post -

set post at intersection cor. of sec. 2 & 3 from which

a Beech 12 in. dia. bears N 30 E 2 hrs. dist. 8

an Elm 18 " " " S 39 W 4 " "

Wagon road course E & W

Land rolling good 2<sup>d</sup> rate, timber Beech, Oak,  
Hickory, Sugar, Poplar, Undgt. Spice, Ironwood  
&c. May 29. 1829

North between Sec. 27 & 28

From the cor. on S. Boundary of Reserve

7.50 set g. sec. post from which

a Sycamore 6 in. dia. bears S 78 E 5 hrs. dist. 4

a R. Oak 5 " " " S 87 W 25 " "

47.50 set post cor. of sec. 21, 22, 27 & 28 from which

a W. Oak 12 in. dia. bears S 52 E 13 hrs. dist. 8

a Do 16 " " " N 27 W 14 " "

Land level & wet, much Oak, Undgt. Spice, Maple, &c.

East on Randon between Sec. 22 & 27

40.00 set temp. g. sec. post

80.50 Intersect N. & S. line 50 hrs. N. of post -

Land level & wet

West corrected between Sec. 22 & 27

40.25 set g. sec. post at aver. dist. from which

a Beech 18 in. dia. bears N 52 W 25 hrs. dist. 8

a Do 26 " " " N 69 E 29 " "

80.50 corner

T. 19 N., R. 1 W. 2<sup>d</sup>. Mer. Ind.<sup>a</sup>

Chas. Elk.

North between Sec. 21 &amp; 22

0.29 an Elm 24 in. dia.

40.00 set q. sec. post from which

an Ash 20 in. dia. bears S 15 E 120 yds. dist. 8

a Do 15 " " " N 64 E 33 " "

40.25 a Stream 25 yds. wide course S W

60.00 a Lynn 30 in. dia.

67.50 a Stream 20 yds. wide course E

80.00 set post cor. of sec. 15, 16, 21 &amp; 22 from which

a W. Ash 30 in. dia. bears N 80 W 17 yds. dist. 8

a W. Elm 11 " " " N 54 W 27 " "

Land rolling good 2<sup>d</sup>. rate

East on Random between Sec. 15 &amp; 22

5.00 a Stream 20 yds. wide course N

40.00 set temp. q. sec. post

80.70 Intersect N &amp; S line 83 yds. N. of post—

Land rolling 2<sup>d</sup>. rate, timber Beech, Sugar, Walnut,  
Poplar, W & R. Oak & Huds. Spruce, Beech,  
Dogwood, Ironwood & May 30. 1829

West Corrected between Sec. 15 &amp; 22

40.35 set q. sec. post at aver. dist. from which

a W. Oak 20 in. dia. bears S 55 W 18 yds. dist. 8

a Beech 15 " " " S 3 E 30 " "

80.70 to sec. cor.

North between Sec. 15 &amp; 16

1.50 an Ash 24 in. dia.

40.00 set q. sec. post from which

an Ironwood 9 in. dia. bears S 73 E 16 yds. dist. 8

an Ash 15 " " " N 79 W 10 " "

40.53 an Elm 20 " "

42.00 a Stream 20 yds. wide course W

52.50 a Do 18 " " " N 60

80.00 set post cor. of sec. 9, 10, 15 &amp; 16 from which



T. 19 N., R. 1 W. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
 Ch. 1<sup>st</sup> Lb.

a Sugar 14 in. dia. bears N 54 E 8 Ms. dirt. &  
 a Do 18 " " " S 7 E 8 " "  
 Land rolling 2<sup>d</sup> rate

East on Random between Sec. 10 & 15

12.75 a Stream 20 Ms. wide course N 9 W

40.00 set temp. g. sec. port

80.90 Intersect N & S line 68 Ms. N. of port -

Land 2<sup>d</sup> rate, Sugar, Poplar, Walnut, Beech, Oak, &  
 Underg<sup>th</sup> Spice, Dogwood, Ironwood, Hickory &

West Corrected between Sec. 10 & 15

40.45 set g. sec. port at aver. dirt. from which

an Ark 12 in. dia. bears S 61 W 8 Ms. dirt. &

a Sugar 15 " " " S 41 E 24 " "

80.90 to sec. cor.

North between Sec. 10 & 10

5.86 a Sugar 20 in. dia.

40.00 set g. sec. port from which

a Hickory 10 in. dia. bears N 58 E 14 Ms. dirt. &

a W. Beech 12 " " " N 28 W 29 " "

44.75 a Stream 20 Ms. wide course W

47.32 an Oak 24 in. dia.

80.00 set port cor. of sec. 3, 4, 9 & 10 from which

a Poplar 15 in. dia. bears N 55 E 10 Ms. dirt. &

a Sugar 12 " " " S 75 W 24 " "

Land rolling 2<sup>d</sup> rate, timber same as before

East on Random between Sec. 3 & 10

June 2. 1829

40.00 set temp. g. sec. port

80.47 Intersect N & S line 95 Ms. S. of port -

Land 1<sup>st</sup> 1/2 mile level, 2<sup>nd</sup> 1/2 mile rolling good  
 2<sup>d</sup> rate, timber Beech, Sugar, Ark, Poplar, Wal-  
 nut, Oak, & Underg<sup>th</sup> Spice, Ironwood, Hickory,  
 Dogwood



T. 19 N., R. 1 W. 2<sup>d</sup> Mer. Ind. aCh. 1. 2<sup>d</sup>

West Connected between Sec. 3 &amp; 10

40.23 set g. sec. port at aver. dist. from which  
 a Beech 20 in. dia. bears S 89 W 36 W. dist. 8  
 a R. Oak 20 " " " N 2 E 8 " "

80.47 to sec. cor.

North between Sec. 3 &amp; 4

2.80 a R. Oak 36 in. dia.

40.00 set g. sec. port from which  
 a Sugar 18 in. dia. bears N 6 W 22 W. dist. 8  
 a Ds 20 " " " N 51 E 43 " "

57.50 a Stream 30 W. wide course W

80.00 Intersect N. Boundary 45 W. E. of port - in Wagon  
 road, where set port cor. of sec. 3 & 4 from which  
 a Sugar 10 in. dia. bears S 82 W 17 W. dist. 8  
 a Beech 20 " " " S 74 E 20 " "  
 Land 2<sup>d</sup> rate, timber as before. June 2. 1829

North between Sec. 28 &amp; 29

From cor. on S. Boundary of Reserve

7.75 set g. sec. port from which  
 an Ark 40 in. dia. bears N 35 W 11 W. dist. 8  
 a Sugar 10 " " " S 87 E 10 " "

47.75 set port cor. of sec. 20, 21, 28 & 29 from which  
 a Gum 14 in. dia. bears S 65 E 27 W. dist. 8  
 a Beech 12 " " " S 67 W 35 " "  
 Land rolling 2<sup>d</sup> rate

East on Random between Sec. 21 &amp; 28

4.75 a Stream 12 W. wide course NE

40.00 set temp. g. sec. port

80.12 Intersect N. S. line 19 W. N. of port -  
 Land level 2<sup>d</sup> rate, although perhaps inclining  
 to wet

West Connected between Sec. 21 &amp; 28

T. 19 N., R. 1 W. 2<sup>d</sup> Mer. Ind. a.Chs. 2<sup>d</sup>.

40.00 set of sec. post at aver. dist. from which  
 a Beech 18 in. dia. bears S 78° W 25 lbs. dist. 8  
 a Sugar 9 " " " N 78° E 13 " "  
 80.12 to sec. cor.

## North between Sec. 20 &amp; 21

8.75 a R. Oak 36 in. dia.  
 40.00 set of sec. post from which  
 an Ash 24 in. dia. bears N 75° W 5 lbs. dist. 8  
 a Do 20 " " " S 75° E 13 " "  
 43.76 a Sugar 20 " "  
 62.50 a Stream 12 lbs. wide course S W  
 80.00 set post cor. of sec. 16, 17, 20 & 21 from which  
 a Sugar 12 in. dia. bears N 77° E 14 lbs. dist. 8  
 a Do 18 " " " S 18° W 25 " "  
 Land rolling & ratio

## East on Random between Sec. 16 &amp; 21

40.00 set temp. of sec. post  
 79.50 Intersect N & S. line 125 lbs. S. of post -  
 Land part swampy, close Underwood  
 June 1. 1829

## West Corrected between Sec. 16 &amp; 21

39.75 set of sec. post at aver. dist. from which  
 an Ash 14 in. dia. bears N 20° W 25 lbs. dist. 8  
 a Do 16 " " " S 32° W 9 " "  
 79.50 to sec. cor.

## North between Sec. 16 &amp; 17

7.69 a R. Oak 30 in. dia.  
 40.00 set of sec. post from which  
 a Sugar 12 in. dia. bears N 75° W 15 lbs. dist. 2  
 a Do 10 " " " S 53° E 25 " "  
 62.71 a Do 18 " "  
 80.00 set post cor. of sec. 8, 9, 16 & 17 from which

T. 19 N., R. 1 W., S. 2. Mer. Ind.<sup>a</sup>

Chap. 20.

a Beech 18 in. diam. bears N 71 E 20 Ms. dist. 8

a W. Oak 14 " " " S 30 W 10 " "

Land 1  $\frac{1}{2}$  mile S. rate, last  $\frac{1}{2}$  mile wet & level,  
timber Beech, Ash, Oak, Poplar, Sugar &c.

## East on Random between Sec. 9 &amp; 16

40.00 let temp. q. sec. post

80.16 Intersect N. S. line 90 Ms. S. of post -

Land level S. rate, timber as before noted

## West Corrected between Sec. 9 &amp; 16

40.08 let q. sec. post at aver. dist. from which

a Sugar 20 in. diam. bears S 84 E 25 Ms. dist. 8

a W. Oak 28 " " " South 11 " "

80.16 to sec. cor.

## North between Sec. 8 &amp; 9

20.00 a Branch 8 Ms. wide course W

29.35 a Walnut 24 in. dia.

40.00 let q. sec. post from which

a Beech 12 in. diam. bears S 67 E 16 Ms. dist. 8

a Do 11 " " " S 72 W 19 " "

50.29 a Sugar 24 " "

55.79 a Creek 40 Ms. wide course W

80.00 let post cor. of sec. 4, 5, 8 &amp; 9 from which

a Sugar 10 in. diam. bears N 54 E 17 Ms. dist. 8

a Do 8 " " " S 28 W 26 " "

Good S. rate land, timber Beech, Ash, Poplar,  
Sugar, Walnut &c. Under. Spice, Dogwood, Hickory &c.

## East on Random between Sec. 4 &amp; 9

40.00 let temp. q. sec. post

80.50 Intersect N. S. line 73 Ms. E. of post -

Land level & rich, timber Sugar, Ash, Poplar,  
Ash, Elm &c. Spice, Hickory, Dogwood &c.

## T. 19 N., R. 1 W., S. 20 Mer. Ind. a

Ch. 2. 20.

West Cornered between Sec. 4 &amp; 9

40.25 set g. sec. post at aver. dint. from which  
 a Sugar 9 in. dia. bears S 49 W 46 Ms. dint. 8  
 , a Do 12 " " " N 26 E 31 " " "  
 80.50 to Sec. cor.

North between Sec. 4 &amp; 5

1.28 a R. Oak 45 in. dia.

40.00 set g. sec. post from which  
 an Ironwood 8 in. dia. bears N 19 W 21 Ms. dint. 8  
 an Ash 10 " " " S 89 W 27 " " "

81.05 Intersect N. Boundary at old road 42 Ms. E. of post -  
 set post at intersection cor. of sec. 4 & 5 from which  
 a Buckeye 11 in. dia. bears S 18 E 19 Ms. dint. 8  
 a W. Oak 15 " " " N 33 E 17 " " "  
 Oak land, rather thin. June 2, 1829

North between Sec. 29 &amp; 30

From cor. in S. Boundary of Reserve

8.20 set g. sec. post from which  
 a Beech 20 in. dia. bears S 21 E 32 Ms. dint. 8  
 a Do 18 " " " N 19 W 28 " " "

44.92 a W. Oak 36 " "

48.20 set post cor. of sec. 19, 20, 29 & 30 from which  
 an Ash 18 in. dia. bears N 8 E 24 Ms. dint. 8  
 a Hickory 11 " " " N 84 W 24 " " "  
 Swampy land

East on Random between Sec. 20 &amp; 29

40.00 set temp. g. sec. post

79.78 Intersect N. & S. line 88 Ms. N. of post -  
 Land wet 3/4 rate

West Cornered between Sec. 20 &amp; 29

39.89 set g. sec. post at aver. dint. from which  
 a B. Oak 11 in. dia. bears N 24 W 13 Ms. dint. 8



T. 19 N., R. 1 W., S. Mer. Ind. a

Est. Ch.

an Elm 18 in. diameter S 45 E 11 lbs. dirt.

79.78 to sec. cor.

West between Sec. 19 & 20

4.97 a Sugar 15 in. dia.

33.50 a Branch 10 lbs. wide course N

40.00 set g. sec. post from which

an Ark 20 in. diameter N 28 E 9 lbs. dirt. S

a Sugar 14 " " " N 88 W 14 " "

49.98 a Do 14 " "

79.03 Intersect W. Boundary 7 lbs. S. of post -

set post at intersection cor. of sec. 19 & 20 from which

an Ark 12 in. diameter N 74 W 22 lbs. dirt. S

a Do 10 " " " N 35 E 23 " "

First 1/2 mile good land

North between Sec. 19 & 20

29.50 a Sugar 20 in. dia.

40.00 set g. sec. post from which

an Ark 11 in. dia. bears N 88 E 33 lbs. dirt. S

a B. Oak 40 " " " N 43 W 18 " "

42.97 an Ark 15 " "

80.00 set post cor. of sec. 17, 18, 19 & 20 from which

an Elm 11 in. diameter N 5 E 19 lbs. dirt. S

a Hickory 11 " " " S 30 W 22 " "

Land level & inclining to wet, timber Beech,  
Ark, Oak, Poplar, Sugar &c.

East on Raudon between Sec. 17 & 20

36.45 a Stream 12 lbs. wide course N

40.00 set temp. g. sec. post

79.52 Intersect N. S. line 140 lbs. S. of post -

Land 2. rate & very brushy

West Corrected between Sec. 17 & 20

39.76 set g. sec. post at area dirt. from which

T. 19 N., R. 1 W. 2<sup>d</sup>. Mer. Ind.<sup>a</sup>  
Ch<sup>2</sup>. 8th.

a Beech 11 in. dia. bears S 81 E 8 lbs. dist. 3  
a Sugar 9 " " " N 17 W 22 " "  
49.52 to sec. cor.

West between Sec. 18 & 19

13.72 a Hickory 30 in. dia.

40.00 set g. sec. post from which

a Sugar 12 in. dia. bears N 78 E 3 lbs. dist. 3

a Beech 10 " " " S 69 W 4 " "

79.32 Intersect W. Boundary 92 lbs. N. of post -

set post at intersection cor. of sec. 18 & 19 from which

a Sugar 11 in. dia. bears N 10 E 10 lbs. dist. 3

a Beech 12 " " " S 50 W 28 " "

2<sup>d</sup> rate land

North between Sec. 17 & 18

2.54 a Hickory 12 in. dia.

40.00 set g. sec. post from which

a Beech 22 in. dia. bears S 69 W 16 lbs. dist. 3

a Sugar 12 " " " S 69 W 16 " "

42.00 an Elm 18 " "

50.50 a Stearns 15 lbs. wide corner S 4 W

80.00 set post cor. of sec. 7, 8, 17 & 18 from which

a Beech 15 in. dia. bears N 43 E 14 lbs. dist. 3

a Do 16 " " " S 1 E 19 " "

Land rolling 2<sup>d</sup> rate, timber Beech, Oak, Ash,

Hickory, Sugar, Poplar, Elm, Walnuts & Hudco.

Spice, Dogwood, Hickory &c.

East on Random between Sec. 8 & 17

40.00 set temp. g. sec. post

79.40 Intersect N. & S. line 35 lbs. N. of post -

Good 2<sup>d</sup> rate land, timber as before. June 3, 1829

West corrected between Sec. 8 & 17

39.70 set g. sec. post at aver. dist. from which

94

T. 19. N., R. 1 W. 2. Mer. Ind. a.  
Ch. 2. 2. 2.

a Sugar 12 in. dia. bears N 54° W 2 1/2 Ms. dist. .8  
a Do 12 " " " S 28° E 33 " "  
79.40 to sec. cor.

---

West between Sec. 7 & 18

8.93 a Spruce 10 in. dia.  
30.00 a Stream 15 Ms. wide course N  
40.00 let q. sec. port from which  
a Sugar 20 in. dia. bears N 86° E 32 Ms. dist. .8  
a Do 14 " " " N 39° W 32 " "  
46.33 a Walnut 30 " "  
79.60 Intersect W. Boundary at the port.  
Land rolling rich, timber as before.

---

North between Sec. 7 & 8

6.50 a Hickory 24 in. dia.  
40.00 let q. sec. port from which  
an Ash 11 in. dia. bears West 12 Ms. dist. .8  
a Do 5 " " " S 24° E 26 " "  
43.00 a Stream 25 Ms. wide course N 9° W  
51.28 a W. Oak 18 in. dia.  
80.00 let port cor. of sec. 5, 6, 7 & 8 from which  
a W. Oak 24 in. dia. bears S 30° W 14 Ms. dist. .8  
an Elm 40 " " " N 54° E 22 " "  
Land 1 1/2 mile rolling rich, last 1/2 mile  
level 2. rate, timber Oak, Beech, Sugar, Walnut  
Poplar &c.

---

East on Random between Sec. 5 & 8

40.00 let temp. q. sec. port  
79.78 Intersect N & S. line 97 Ms. N. of port -  
Level 2. rate land

---

West corrected between Sec. 5 & 8

39.89 let q. sec. port at aver. dist. from which  
a W. Oak 19 in. dia. bears S 25° W 52 Ms. dist. .8

T. 19 N., R. 1 W. E. Mer. Ind. a.  
 6th. 9th.

a Beech 16 in. dia. bears N 41 E 57 Ms. dist.  
 79.78 to sec. cor.

West between Sect. 6 & 7

17.00 a Stream 30 Ms. wide course N 2 W

31.50 a Do 30 " " " S 2 W

40.00 set of sec. post from which

a W. Oak 18 in. dia. bears N 20 E 3 Ms. dist. &

a Do 24 " " " S 2 9 W 19 " "

56.35 a Sugar 15 " "

78.39 Intersect N. Boundary 64 Ms. S. of post -

set post at intersection cor. of Sect. 6 & 7 from which

an Ironwood 6 in. dia. bears S 82 9 W 6 Ms. dist. &

a Buck Eye 20 " " " S 50 E 14 " "

Land rolling 2. rate

North between Sect. 5 & 6

1.78 an Oak 24 in. dia.

40.00 set of sec. post from which

an Elm 12 in. dia. bears S 60 E 8 Ms. dist. &

a Sugar 9 " " " S 50 W 9 " "

72.00 a Do 18 " "

80.69 Intersect N. Boundary at post.

Land rolling 2. rate, timber Beech, Ash, Sugar,

Poplar, Walnut, Oak, Elm, Hickory, Under.

Aspen, Dogwood, Ironwood, Hickory &

June 4. 1829 Variation 5. 40. E

John Hendricks

Dep. Surveyor.



Pursuant to a contract dated the 13<sup>th</sup> April 1829 and instructions from Edward Tiffin, Surveyor General of the United States, I have surveyed and subdivided into sections the foregoing fractional township in the Crawfordville district, Indiana, as described in said contract; And I certify that the foregoing are correct and true field notes of the lines which they purport to be as part of said contract.

Certified this 11<sup>th</sup> September 1819

John Hendricks

Dep. Surveyor.

I certify that the foregoing transcript of Field Notes of the survey of Township N<sup>o</sup> 19 North, in Range N<sup>o</sup> 1 West of the Second Principal Meridian, in the State of Indiana, has been compared with the original on file in this office, and found to be correct.

Surveyor General's Office,  
Cincinnati, Sept. 8. 1842

William Johnston  
Sur. Genl.